(b) The lessee shall furnish a list of sub-contractors, agents or servants who may be appointed by him for the collection of the produce.

(c) The lessee shall work out the lease himself and not transfer or sub-let it to others without the previous sanction of the Conservator of Forests, Shimoga.

(d) The coolies employed by the lessee must take permits from the Range Officers when they enter State Forests. Printed passes prescribed by the District Forest Officer shall be issued to cartmen under the signature of the lessee for the export of the produce.

(e) The lessee shall keep and render accounts every month to the District Forest Officer, of the produce collected and removed by him or his agents during the month. His accounts will be liable for the inspection of the Conservator of Forests or the District Forest Officer or by any other officer deputed by either of them.

(f) The lessee, his agents or servants shall render all possible help in preventing the occurrences of fires in Forests in which he or they may be working and render prompt assistance in extinguishing such fires as may break out accidentally.

(g) The lessee shall remove out of the limits of the Forests all produce collected and sold under the terms of the lease before the close of the lease period.

(h) Neither the lessee nor his servants shall enter the State Forest either before sunrise or after sunset.

(i) The village amarayi produce is not included in this contract.

9. In the event of the breach of any of the above conditions the lease will be liable to be cancelled and the lessee fined to the extent of Rs. 50.

M. A. MUTHANNA,
District Forest Officer.

ENGINEERING DEPARTMENT

BANGALORE DIVISION

Notification dated 9th July 1938.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 1st August 1938, for constructing a new tank near Kannaikan Agrahar, Anekal Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1939.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a duplicate challan for having credited Rupees four hundred and ninety into the treasury under "17 (a). P. W. Deposits" as earnest money, and be superscribed "Tender for constructing a new Tank near Kannaikan Agrahar, Anekal Taluk," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, after depositing an additional sum of Rs. 490, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Approximate quantities required for constructing a new tank near Kannaikan Agrahar, Anekal Taluk, Reg. No. Nil, Serial No. 773 (*a*).

Serial No.	Items of work	Unit	Quantity	Rate	Rate to be quoted in	
					Words	Figures
				Rs. a. p.	Rs.	Rs.
	Bund (Top R. L. 102.00).					
1	Cutting and removing thick jungle with roots.	Grade	7	4 0 0		
2	Cutting grips and trenches and removing top soil	,,	5	3 0 0		
3	Clearing seat of bund in Halla portion	C.yd.	310	0 2 0		
4	Excavating for undation for the puddle wall	,,	18	0 3 0		
5	Earthwork to bund with the required lead, lift and watering and tamping, etc., complete	,,	12,777	0 4 0		
6	Turfing the slopes of the bund and watering till it is satisfactory	S.yd.	2,538	0 0 10		
7	New stone revetment with the required lead, lift and jelly backing and jelly wedging, etc., complete	C.yd.	1,575	1 8 0		
8	Gravel backing to revetment with required lead and lift, etc.	,,	525	0 8 0		
9	Constructing core wall in stone in surki mortar	C.ft.	540	0 4 6		
10	Constructing puddle wall of clay	C.yd.	446	0 8 0		
11	Benching rock 6" deep for the seat of core wall	S.ft.		0 4 0		
12	Earthwork excavation	C.yd.	86	0 2 6		
13	Constructing jelly drain	,,	17	0 10 0		
14	Consolidation charges (including lead and lift) of earth got from draft and approach clearing	C.yd.	3,000	0 1 0		
15	Providing and fixing new grade stones on bed slabs including cutting figures and painting, etc., complete	Each	6	2 0 0		
16	Providing and fixing index stones on bed slabs including cutting figures and painting, etc.	,,	6	0 8 0		
17	Providing and fixing constructive details stone with cutting figures and painting, etc.	,,	1	20 0 0		
18	Providing and fixing gauge stones with cutting figures and painting	,,	1	10 0 0		
19	Providing and fixing B. M. stones with cutting figures and painting	,,	2	2 8 0		
20	Providing and fixing Date and Register No. stone with cutting figures and painting, etc.	,,	1	5 0 0		
	Sluice R. L. 85.00.					
1	Earthwork excavation and using same to the bund with lead and lift	C.yd.	8	0 3 0		
2	Burnt stone concrete in surki mortar	C.ft.	150	0 3 6		
3	Burnt brick in surki mortar	,,	819	0 4 6		
4	Plastering with surki mortar	Sqr.	4·09	3 0 0		
5	Burnt stone slabs 6" thick exposed surfaces dressed and fixed in surki mortar	S.ft.	260	0 4 6		
6	Cutting orifices in the slabs	Each	4	1 0 0		
7	Fixing cast iron pipes 6" dia., including carting, jointing, etc., (supply departmental)	R.ft.	36			
8	Providing and fixing plug and rod with locking arrangements, etc.	L.S.		15 0 0		
9	Cement pointing	Sqr.	1.00	3 0 0		

Serial No.	Items of work	Unit	Quantity	Rate	Rate to be quoted in	
					Words	Figures
				Rs. a. p.	Rs.	Rs.
	Waste Weir.					
1	Earthwork excavation in hard soil and using the spoil to the bund with lead and lift, etc.	C.yd.	162	0 3 0		
2	Burnt stone jelly concrete in surki mortar	C.ft.	96	0 3 6		
3	Burnt brick in surki mortar	C.ft.	1,051	0 4 6		
4	Plastering with surki mortar	Sqr.	4.96	3 0 0		
5	Burnt stone slabs 6" thick exposed surfaces one line dressed and fixed in Surki mortar	S.ft.	657	0 4 6		
6	Rough stone work with the required lead, jelly backing and jelly wedging, etc. complete	C.yd.	129	1 8 0		
7	Earthwork excavating and carrying the spoil-approach and draft clearing in hard and gravelly soil	C.yd.	4,156	0 4 0		

Notification dated 8—9th July 1938.

1. Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 12 NOON on 2nd August 1938, for Restoring Kudlur-Dodkere Major Tank, Reg. No. 194 of Anekal Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for Restoring Kudlur-Dodkere." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate chellan for having credited into the treasury the deposit amount of Rs. 450 under '17 (a) P. W. Deposits.' The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 2nd August 1938 at 2 P.M. The final acceptance of the tender will rest with the Executive Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the Departmental Schedule Contract Form for the due fulfilment of the contract, after depositing an additional sum and for the execution of all items of work in accordance with the Bombay specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days between 11 A.M. and 5 P.M. and may be obtained from that Officer on payment of Rs. 5.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The work should be completed and handed over in a tidy condition to the Public Works Department by the end of May 1939, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 1,080 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.

(2) Provide all necessary scaffolding, centering labour and appliances for hoisting.

(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.

(4) Arrange for protecting work during inclement weather.

(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.

(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.

(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) Provide arrangements for pumping and baling of water from excavations and foundations, wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D. so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work, and he must take precaution against all risk of accidents and, if necessary, provide for the same by insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities required for the restoration of the Kudlur-Doddakere Tank, Anekal Taluk.
(Amount of estimate—Rs. 9,300).

No.	Items of work	Unit	Quantity	Rate	Rate to be quoted in	
					Words	Figures
				Rs a. p	Rs.	Rs.
	Bund R. L. 57.00 and top width 6 feet.					
1	Cutting grips and clearing jungle with roots, etc.	Grade	29	1 0 0		
2	Earthwork to Bund with the required lead, lift and watering and tamping, etc., (Section measurements)	C.yd.	18,114	0 3 6		
3	New stone revetment with the required lead, lift and jelly backing and jelly wedging, etc., complete	C.yd.	1,413	2 0 0		
4	Removing and resetting old stones with new jelly packing, etc., complete	C.yd.	177	0 12 0		
5	Turfing the slopes of the Bund and watering till it is satisfactory	S.yd.	9,952	0 1 0		
6	Preparing and fixing new grade stones on bed slabs including cutting figures and painting, etc., complete	Each	30	1 8 0		
7	Preparing and fixing new Index stones on bed slab including cutting figures and painting, etc., complete	„	30	0 8 0		
8	Preparing and fixing new Register No. Stone on bed slab including cutting figures and painting, etc., complete	„	1	3 0 0		
9	Preparing and fixing B. M. stones on bed slab including cutting figures and painting, etc., complete	„	2	3 0 0		
10	Preparing and fixing gauge stone on bed slab including cutting figures and painting, etc.	„	1	12 0 0		
11	Preparing and fixing on bed slab including cutting figures and painting, etc., complete	„	1	3 0 0		
	Sluice at R. L. 42.00.					
1	Earthwork. Cut opening the Bund and refilling the same with watering and tamping	C.yd.	80	0 6 0		
2	Earthwork excavating for foundation and using the spoil to the Bund with lead and lift, etc.	„	13	0 3 0		
3	Burnt stone jelly concrete in surki mortar	C.ft.	245	0 4 6		
4	Burnt brick in surki mortar	C.ft.	939	0 5 0		
5	Burnt stone slabs 6" thick exposed surfaces are dressed and fixed in surki mortar	S.ft.	252	0 8 0		
6	Plastering with surki mortar	Sqr.	4.07	4 0 0		
7	Rough stone work with the required lead, jelly backing and jelly wedging, etc., complete	C.yd.	3	2 0 0		
8	Cutting holes in the slabs	Each	4	1 0 0		
9	Providing plug and rod with Locking arrangements	L. S.	..	25 0 0		
	Waste Weir at R. L. 52.00 and 71 feet long.					
1	Earthwork excavating and using the spoil to the bund with lead and lift, etc.	C.yd.	93	0 3 0		
2	Burnt brick in surki mortar	C.ft.	305	0 5 0		
3	Burnt stone slabs 6" thick exposed surfaces are line dressed and fixed in surki mortar	S.ft.	132	0 8 0		
4	Plastering with surki mortar	Sqr.	3·84	4 0 0		
5	Rough stone work with the required lead, jelly backing and jelly wedging, etc., complete	C.yd.	48	2 0 0		

Notice dated 11th July 1938.

Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 12 NOON on 3rd August 1938, for constructing a Building for Rural Dispensary at Sarjapur, Anekal Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for Rural Dispensary at Sarjapur." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by duplicate challan for having credited the deposit amount of Rs. 225 into the Treasury under '17 (a) P. W. Deposits'. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 3rd August 1938 at 2 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931).

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days between 11 A.M. and 5 P.M. and may be obtained from that Officer on payment of Rs. 3.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department Schedule of Rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The work should be completed and handed over in a tidy condition to the Public Works Department by the end of November 1938, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 540 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement as of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear

this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities for constructing a Dispensary Building with out-houses at Sarjapur, Anekal Taluk.

No.	Items of work	Unit	Quantity	Rate	Rate to be quoted in	
					Words	Figures
	Constructing Dispensary Building.			Rs. a. p.	Rs.	Rs.
1	Earthwork excavation for foundation and filling in basement including watering and tamping, etc.	C.yd.	52	0 3 0		
2	Burnt stone jelly concrete in chunam mortar 1 : 2 : 4	C.ft.	498	0 3 9		
3	Size stone in mud for foundation and basement through stones for every 6 feet in each layer	„	1,264	0 4 0		
4	Burnt brick in mud for superstructure with bond slabs at corners, etc.	„	836	0 3 6		
5	Burnt brick in mortar	„	331	0 4 3		
6	Burnt stone slabs 6" thick exposed faces, one line dressed and fixed in mortar ..	S.ft.	277	0 6 0		
7	Plastering with mortar $\frac{3}{4}$" thick	Sqr.	24.78	3 0 0		
8	Whitewashing inside 2 coats	„	17.66	0 3 9		
9	Colour washing outside 2 coats	„	9.68	0 5 0		
10	Teakwood doors of $3\frac{1}{2}' \times 7'$ with frames $4\frac{1}{4}" \times 3\frac{1}{2}"$ in section with $1\frac{1}{2}"$ thick panelled shutters including clamps, hinges, tower bolts, etc., complete ..	S.ft.	128	1 12 0		

No.	Items of work	Unit	Qunatity	Rate	Rate to be quoted in	
					Words	Figures
				Rs. a. p.	Rs.	Rs.
11	Teakwood windows of 3′×4½′ with frame 4″×3″ and ⅝″ dia. iron bars with panelled shutters 1½″ thick outside and glazed shutters inside including clamps, hinges, etc., complete	S.ft.	122	3 2 0		
12	Teakwood glazed ventilators with iron bars, etc., complete	„	6	1 2 0		
13	Flooring with 1½″ cement concrete over 3″ burnt stone jelly concrete in lime mortar and plastered with cement ½″ thick mixed with red ochre and cutting squares, tile pattern, etc.	Sqr.	7.12	20 0 0		
14	Rolled steel girders (Tata's) tested including hoisting, fixing and painting, etc., complete	Cwt.	5.5	13 8 0		
15	Roofing with reinforced cement concrete terrace for a span of 15′ and 8′ with necessary reinforcements as per specification in force including weathering coat, plastering, etc., complete	Sqr.	8.09	70 0 0		
16	Block cornice including plastering, white-washing, etc., complete	R.ft.	120	0 2 6		
17	Parapet wall 9″ thick 1½′ high as per design including plastering, white-washing, etc.	R.ft.	115	0 14 0		
18	Silicate painting, slate colour, 2 coats	Sqr.	5.62	3 0 0		
19	Cut stone pillars 8½′ high 9″×9″ shaft as per design including base and capital	Each	4	20 0 0		
20	Constructing masonry half pillars in verandah by the side of the wall with plastering, white wash, etc., complete	„	2	3 0 0		
21	Cement pointing to basement	Sqr.	2.99	3 0 0		
	Constructing Kitchen.					
1	Earthwork excavating foundation and filling in basement	C.yd.	10	0 3 0		
2	Burnt stone jelly concrete in lime mortar 1 : 2 : 4	C.ft.	58	0 3 9		
3	Size stone in mud with through bond stones at every 6 feet in each layer, for foundation and basement	C.ft.	241	0 4 0		
4	Burnt brick in mud superstructure	C.ft.	464	0 3 6		
5	Burnt stone slabs 6″ thick one line dressed to the exposed surfaces and fixed in mortar	S.ft.	38	0 6 0		
6	Plastering with mortar ¾″ thick	Sqr.	8.93	3 0 0		
7	Teakwood doors of 3½′×6½′ with frames 4″×3½″ in section with 1½″ thick battened shutters including iron clamps, hinges, bolts, etc., complete	S.ft.	23	1 8 0		
8	Teakwood windows of 3′×4½′ with frame 4″×3″ and ⅝″ iron bars with 1½″ battened shutters, iron clamps, hinges, etc., complete	S.ft.	14	1 12 0		
9	Teakwood ventilators with iron bars and battened shutters	„	6	1 8 0		
10	Flooring with cement concrete of 1½″ thick over 3″ burnt stone concrete in lime mortar and plastered over with ½″ thick cement mortar	Sqr.	1.00	15 0 0		
11	White-washing inside, 2 coats	„	4.20	0 3 9		
12	Colour washing outside, 2 coats	„	5.15	0 5 0		

No.	Items of work	Unit	Quantity	Rate	Rate to be quoted in	
					Words	Figures
				Rs. a. p.	Rs.	Rs.
13	Roofing with reinforced cement concrete terrace with necessary reinforcemnts for a span of 10 feet including weather coat as per specification in force ..	Sqr.	1.02	75 0 0		
14	Constructing block cornice including plastering, whitewash, etc.	R.ft.	49	0 2 6		
15	Constructing parapet wall plain 9" thick 1¼' high with burnt brick in mortar and plastering with mortar and whitewash, etc.	R.ft.	45	0 8 0		
16	Silicate painting 2 coats	Sqr.	0.78	3 0 0		
17	Cement painting to basement	,,	0.74	3 0 0		
	Constructing a Latrine.					
1	Fixing reinforced cement concrete pillars 5"×5" with groves for inserting slabs at corners and at ends, fixing reinforced cement concrete slabs 1½" thick including excavation of foundation for pillars, and cement pointing, etc., complete ..	S.ft.	122	0 8 0		
2	Flooring with cement concrete 1½" thick over 3" burnt stone jelly concrete in lime mortar and plastered over with ½" thick cement mortar	Sqr.	0.32	15 0 0		
3	Constructing soats and drainage, etc. ..	Lumpsum		5 0 0		
	Constructing a Dead House.					
1	Earthwork excavating fundation and filling in basement including watering and tamping	C.yd.	10	0 3 0		
2	Lime concrete with burnt stone jelly 1 : 2: 4.	C.ft.	103	0 3 9		
3	Sizestone in mud with through bond slabs at every 6 feet in each layer.. ..	,,	179	0 4 0		
4	Burnt brick in mud superstructure ..	,,	384	0 3 6		
5	Plastering with mortar ¾" thick	Sqr.	7.20	3 0 0		
6	Whitewashing two coats	,,	3.60	0 3 9		
7	Colour washing two coats	,,	4.05	0 5 0		
8	Burnt stone slabs 6" thick exposed, surfaces one line dressed and fixed in mortar ..	S.ft.	52	0 6 0		
9	Flooring with cement concrete 1½" thick over 3" burnt stone jelly concrete in lime mortar and plastered over with cement ½" thick.	Sqr.	0.80	15 0 0		
10	Dissecting bench as per plan and section..	Each	1	15 0 0		
11	Cement pointing to basement	Sqr.	0.53	3 0 0		
12	Teakwood doors of 3½'×7' with frame 1¼"×3½" in section and 1½" thick battened shutters, iron clamps, hinges, bolts, etc., complete	S.ft.	24	1 8 0		
13	Providing teakwood ventilators	S.ft.	21	1 8 0		
14	Roofing with reinforced cement concrete terrace with necessary reinforcements for a span of 8 feet with weathering coat plastering, etc.	Sqr.	1.09	70 0 0		
15	Constructing parapet wall plain 9" thick 1¼' high with plastering, whitewash, etc.	R.ft.	41	0 8 0		
16	Chocolate painting 2 coats	Sqr.	1.02	3 0 0		
17	Block cornice including plastering, whitewash, etc.	R.ft.	45	0 2 6		

N. LAKSHMINARASIMHAIYA,
Executive Engineer.